






This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Cancelled)
2. (Currently Amended) An organopolysiloxane polymer having a glycerol derivative which can swell up by containing at least its own weight of a liquid oil obtained by the addition polymerization of the organohydrogen polysiloxane expressed by the following general formula (a1) and/or following general formula (a2), with ~~one or more~~ compounds selected from a group consisting of the glycerol derivative having an alkenyl groups group expressed by the following general formula (b1), the organopolysiloxane having an alkenyl group expressed by the following general formula (b2), and the hydrocarbon having an alkenyl group expressed by the following general formula (b3), wherein the ingredients expressed by the aforesaid general formula (a1) or (b1) are essential ingredients,



wherein,

$R^1$  in the formulae may be identical or different, and is a substituted or unsubstituted monovalent hydrocarbon group having 1-30 carbon atoms which does not contain an alkenyl group,

$R^2$  is a monovalent group having a glycerol derivative expressed by  $-C_xH_{2x}G$ ,

G is a glycerol or polyglycerol,

$R^3$  is an alkenyl group having 2-20 carbon atoms,

d and e are a, b, c, d, e, p and q are respectively defined by:

$1.0 \leq a \leq 2.3$ ,  $0.001 \leq b \leq 1.0$ ,  $0.001 \leq c \leq 1.0$ ,  $1.0 \leq d \leq 2.3$ ,  $0.001 \leq e \leq 1.0$ ,  $1.0 \leq p \leq 2.3$ , and  $0.001 \leq q \leq 1.0$ ,

and  $1.5 \leq a+b+c \leq 2.6$ ,  $1.5 \leq d+e \leq 2.6$ ,  $1.5 \leq p+q \leq 2.6$ ,

f is an integer of 2-10,


~~r is an integer of 0-20, and~~

~~x is an integer of 2-20,~~

wherein the organopolysiloxane polymer has a three-dimensional cross-linked structure.

3. (Cancelled)

4. (Previously Presented) The organopolysiloxane polymer according to Claim 2, wherein (b1) is expressed by the following general formula, and s is an integer from 1-20:



5. (Cancelled)

6. (Cancelled)

7. (Withdrawn and Currently Amended) A pasty composition formed by containing a liquid oil in an organopolysiloxane having a glycerol derivative according to claim 2, whereby it swells up.

8. (Withdrawn and Currently Amended) The pasty composition according to Claim 7, wherein said liquid oil is one or more liquid oils selected from the group consisting of among a group comprising silicone oils, hydrocarbon oils, ester oils, natural animal and vegetable oils and semi-synthetic oils.

9. (Withdrawn and Currently Amended) A composition formed by adding one or more acidic substances selected from the group consisting of a group comprising organic acids, inorganic acids and inorganic acid salts to one or more polymers selected from the group consisting of among a group comprising the organopolysiloxane polymer having a glycerol derivative according to claim 2, 4 or a pasty composition formed by containing a liquid oil in said organopolysiloxane having a glycerol derivative, whereby it swells up based thereon, adding a basic neutralizing agent so that the pH is 5-8, and then removing volatile

ingredients by heating and/or reducing pressure.

10. (Withdrawn) The composition according to Claim 9, wherein the salt produced from said acidic substance and said basic neutralizing agent has a buffer action.

11. (Withdrawn and Currently Amended) The composition according to Claim 9, wherein said acidic substance is one or more compounds selected from the group consisting of ~~among a group comprising~~ citric acid, lactic acid, malic acid, glutamic acid, oxalic acid, acetic acid, glycine, succinic acid and calcium dihydrogen phosphate, and said basic neutralising agent is one or more agents selected from the group consisting of ~~among a group comprising~~ sodium carbonate, sodium hydrogen carbonate, sodium hydroxide, potassium hydroxide, di-sodium hydrogen phosphate and sodium acetate.

12. (Withdrawn) The composition according to claim 9, wherein the proportion of said acidic substance and said basic neutralising agent relative to 100 weight parts of said organopolysiloxane polymer is 0.01-10 weight parts, and to obtain said composition, the volatile ingredient is removed by heating to 20-150°C after adding said acidic substance, and further heating to 20-150°C and/or reducing pressure after adding said basic neutralising agent.

13. (Withdrawn and Currently Amended) A cosmetic material formed by blending one or more polymers selected from the group consisting of ~~among a group comprising~~ the polymers according to claim 2 4, or  
pasty composition formed by containing a liquid oil in said organopolysiloxane having a glycerol derivative, whereby it swells up, ~~based thereon or~~  
composition formed by adding one or more acidic substances selected from the group consisting of organic acids, inorganic acids and inorganic acid salts to one or more polymers selected from the group consisting of said organopolysiloxane polymer having a glycerol derivative, or a pasty composition formed by containing a liquid oil in said organopolysiloxane having a glycerol derivative, whereby it swells up, adding a basic neutralizing agent so that the pH is 5-8, and then removing volatile ingredients by heating and/or reducing pressure having a pH of 5-8,  
as ingredient A).

14. (Withdrawn) The cosmetic material according to Claim 13, further comprising an oil as ingredient B).
15. (Withdrawn) The cosmetic material according to Claim 13, further comprising water as ingredient C).
16. (Withdrawn) The cosmetic material according to claim 13, further comprising a compound having an alcoholic hydroxyl group in the molecular structure as ingredient D).
17. (Withdrawn) The cosmetic material according to claim 13, further comprising a water-soluble or water-swelling polymer as ingredient E).
18. (Withdrawn) The cosmetic material according to claim 13, further comprising a powder and/or colorant as ingredient F).
19. (Withdrawn and Currently Amended) The cosmetic material according to Claim 18, wherein at least part of the powder and/or colorant which is ingredient F) is a powder selected from the group consisting of a crosslinked spherical dimethyl polysiloxane fine powder having a crosslinked dimethyl polysiloxane structure, a crosslinked spherical polymethyl silsesquioxane fine powder, and a fine powder formed by coating the surface of crosslinked spherical polysiloxane rubber particles with polymethylsilsesquioxane particles.
20. (Withdrawn) The cosmetic material according to claim 13, further comprising a surfactant as ingredient G).
21. (Withdrawn) The cosmetic material according to Claim 20, wherein the surfactant of said ingredient G) is a straight-chain or branched organopolysiloxane having a polyglycerol chain in the molecule, or an alkyl co-modified organopolysiloxane.
22. (Withdrawn) The cosmetic material according to claim 20, wherein the HLB of said ingredient G) is 2-8.

23. (Withdrawn) The cosmetic material according to claim 13, further containing a composition comprising a hydrophobic crosslinked organopolysiloxane polymer and a liquid oil as ingredient H).

24. (Withdrawn) The cosmetic material according to claim 13, further comprising a silicone resin as ingredient I).

25. (Withdrawn) The cosmetic material according to claim 24, wherein the silicone resin of ingredient I) is an acrylic silicone resin.

26. (Withdrawn and Currently Amended) The cosmetic material according to Claim 24, wherein the silicone resin of ingredient I) is an acrylic silicone resin containing one or more organic groups selected from the group consisting of ~~among~~ pyrrolidone, long-chain alkyl, polyoxyalkylene, fluoroalkyl and anionic carboxylic groups in the molecule.




27. (Withdrawn) The cosmetic material according to Claim 24, wherein said ingredient I) is one or more types of silicone resin selected from among a group comprising silicone resins formed from  $R^1_3SiO_{0.5}$  units and  $SiO_2$  units, silicone resins formed from  $R^1_3SiO_{0.5}$  units,  $R^1_2SiO$  units and  $SiO_2$  units, silicone resins formed from  $R^1_3SiO_{0.5}$  units and  $R^1SiO_{1.5}$  units, silicone resins formed from  $R^1_3SiO_{0.5}$  units,  $R^1_2SiO$  units and  $R^1SiO_{1.5}$  units, and silicone resins formed from  $R^1_3SiO_{0.5}$  units,  $R^1_2SiO$  units,  $R^1SiO_{1.5}$  units and  $SiO_2$  units.

28. (Withdrawn) The cosmetic material according to claim 24, wherein said ingredient I) is a silicone resin containing one or more organic groups selected from among pyrrolidone, long-chain alkyl, polyoxyalkylene, fluoroalkyl and amino in the molecule.

29. (Withdrawn) A skin care cosmetic material containing the cosmetic material according to claim 13.

30. (Withdrawn) A makeup cosmetic material containing the cosmetic material according to claim 13.

31. (Withdrawn) A hair treatment cosmetic material containing the cosmetic material according to claim 13.
32. (Withdrawn) An antiperspirant cosmetic material containing the cosmetic material according to claim 13.
33. (Withdrawn) An ultraviolet protection cosmetic material containing the cosmetic material according to claim 13.
34. (Withdrawn) A cosmetic material containing the cosmetic material according to claim 13, said material being in the form of a liquid, emulsion, cream, solid, paste, gel, powder, press, laminate, mousse, spray or stick.
- 35 (Cancelled)
- 36 (Previously Presented) The organopolysiloxane polymer according to Claim 2, wherein (b1) is one of the following formulæ



wherein

$R^3$  is an alkenyl group having 2-20 carbon atoms, and

s, t, u and v are integers of 1-20,

and part of the hydroxy groups may be substituted by an alkoxy group or ester group.